

# Camera Systems, Lighting & Alarms

**SAFETY & REMOTE VIDEO OPERATION SYSTEMS FOR MINING EQUIPMENT**

[sales@provix.net](mailto:sales@provix.net) • [www.PROVIX.net](http://www.PROVIX.net) • (888)434-0253

## PROVIX is Vision Enhancement

PROVIX enhances vision through the deployment of technologically advanced camera systems. Camera systems that can include thermal vision, remote viewing capability, wireless recording, programmed and triggered event monitoring, night vision and safer, more productive operations in drilling, mucking, hauling, blasting, tramming, loading and rescue operations.

Custom Camera Systems for any applications. If you can imagine it, we can design, build and support it.

We supply a variety of Custom Safety Systems for the mining industry such as:

- Remote Operation video systems
- Camera systems for Scoops, Jumbos and Blockhole applications
- Video systems to monitor loading chutes, breakers, crushers, grizzlies
- LED Equipment, fixed area and Work Lights
- Inspection camera systems for boreholes/ bin inspection/ stopes
- Trifold Safety System: Camera system, Proximity Detection and Broadband/ white noise alarms,
- Pan/Tilt/Zoom Cameras with 36X Zoom for Inspection



# PROVIX IN YOUR OPERATION?

**PROVIX**.NET  
Now I CAN SEE!

Safety and Remote Video Systems for Mining Operations



VALE



BARRICK

RioTinto

Mosaic



PotashCorp

Brandt

GlencoreXstrata



GOLDCORP



Cameco

Agrium

KGHM  
INTERNATIONAL



Teck

Lake Shore Gold Corp.



DIAVIK  
DIAMOND MINES INC.

TOROMONT



CATERPILLAR

Hewitt



MINING TECHNOLOGIES  
INTERNATIONAL INC.



TRIDENT  
MINING SYSTEMS

SANDVIK



Kiewit

SANGOLD

CARMEUSE

MANROC



AuRico Gold

KIRKLAND LAKE  
GOLD INC.

DUMAS

DMC  
MINING SERVICES  
Fueled by Safety, Driven by Success

YukonZinc CORP

Hecla  
MINING COMPANY

ROCK  
CONSTRUCTION & MINING INC.

SUMITEC

Procon

siffo  
Canada Corp.

tembec  
Rooted in tomorrow.

Marcotte  
MINING MACHINERY SERVICES INC.

MPI MOBILE  
PARTS INC  
Mining & Equipment Parts

LAFARGE

MILLER TECHNOLOGY  
Mobile equipment for safety and productivity

FOREMOST

Cementation  
WE BUILD MINES

labrie  
environmental group



COLOSSUS  
MINERALS INC.

RDH  
MINING EQUIPMENT

McDowell

THE  
MINE SUPPLY  
CO.

Tracks & Wheels  
Equipment Brokers Inc.



TAURUS  
DRILLING



**PROVIX.NET**  
Now I CAN SEE!



# Feller Buncher GPS Harvest Tracking Camera System

PRX-FOHV-10GPS90WP



*(Waterproof GPS Camera Monitor with 10" Display , High Endurance Camera, Cables, Camera Guard)*

\* Note: The camera is enclosed in a supplied rigid steel camera guard that would be welded onto the buncher arm. This would protect the camera from falling branches & debris.



## Key Features:

### GARMIN® GPS:

- ⇒ Features a worldwide base map with high-quality satellite-enhanced images
  - \* Ability to record waypoints on Canadian topographical maps
- ⇒ Draws maps quickly, simple interface makes navigating easy
- ⇒ Waterproof 10" Monitor: view high-resolution video/graphics
  - \* High-resolution satellite images and aerial photographs help you orient yourself in unfamiliar areas
- ⇒ Removable SD card for recording tracks & transferring mapping data to a compatible Garmin® GPS— installed in skidder
- ⇒ Can connect live video feed with the video input/output options
- ⇒ By connecting to the Garmin® Marine Network, sonar & radar can be added

### CAMERA:

- ⇒ Solid billeted aluminum camera body; anodized camera body resists corrosion
- ⇒ Automatic IR night vision gives 45'+ of viewing in complete darkness
- ⇒ Standard lens features 92 degree field of view (3.6MM) Optional lenses available include: 4.3MM, 6MM, 12MM or 16MM
- ⇒ Waterproof to 300' depth: Triple O-ring sealed
- ⇒ Lab certified to 100G shock & vibration
- ⇒ Photo chromatic lens gives camera it's own set of sunglasses
- ⇒ Triple hardened glass lens resist scratch, scuffing & static buildup
- ⇒ System includes one camera— additional cameras can be added as required.
- ⇒ 3 Year Warranty on Camera

**PROVIX.NET**  
Now I CAN SEE!

# Mining Camera System

Part # [SHV-70M3AVWPHT20MRG](#)



## System Includes:

- One Reversing Camera with steel camera guard
- Rugged, heated camera shown on a waterproof/dustproof monitor when vehicle is put into reverse.



Waterproof Monitor

Heated Camera

## Additional Options

### Wireless Loading Chute Camera

Part # [RMG-HS7131TX9-120](#)

- Wireless camera transmits real time video to the monitor in the truck as well as to control room operator of the loading station.



### Camera Wash System

Part # [PRX-EWASH-086](#)


- Uses washer fluid for year round operation
- Easy to install
- 12 Volt High Pressure Pump
- 1 Gallon Reservoir with Mounting hardware
- Momentary Rocker Switch



CALL TOLL FREE: 1-888-434-0253 — CONTACT: [SALES@PROVIX.NET](mailto:SALES@PROVIX.NET) — VISIT: [WWW.PROVIX.NET](http://WWW.PROVIX.NET)

# PROVIX CAMERA-WASH SYSTEM

**PROVIX.NET**  
Now I CAN SEE!



***Cleans the Camera lens of Dirt, Ice, Dust and Snow with the push of a button!***

## **KEEP CAMERA LENS CLEAR TO ENHANCE MOBILE SAFETY**

- USES WASHER FLUID FOR YEAR ROUND OPERATION.
- 12 VOLT HIGH PRESSURE PUMP
- 1 GALLON RESERVOIR WITH MOUNTING HARDWARE
- MOMENTARY ROCKER SWITCH
- 30 FOOT ELECTRIC HARNESS AND FLUID TUBING KIT. CUSTOM LENGTHS AVAILABLE.
- EASY TO INSTALL
- COMES AS A KIT WITH 30' HARNESS OR CUSTOM LENGTHS ARE AVAILABLE
- OPTIONAL NEMA BOX FOR EASE OF MOUNTING
- ADD UP TO FOUR OPTIONAL NOZZLES PER KIT
- ADD AN OPTIONAL TIMER FOR AUTOMATIC CLEANING.
- ADD A STAINLESS STEEL BOX FOR MOUNTING ON THE SIDE OF OR UNDER SIDE OF PLOW/DUMP TRUCKS.
- CUSTOM KITS AVAILABLE

**1-888-434-0253**

**SALES@PROVIX.NET**

**WWW.PROVIX.NET**

# Wireless Process Monitoring

## Monitoring Chutes, Crushers, Rockbreakers



**Wall Monitor and Protective Enclosure:** Enables the truck operator to see the loading process.



**In Cab Dust/Waterproof Monitor**

# OR

## Additional Options

### Rugged Camera System

\*Add up to four cameras



### IP/Network Viewable

\*Enables the process to be viewed within the control room and/or the network



**CONTACT: SALES@PROVIX.NET — VISIT: WWW.PROVIX.NET**

# Skid Steer Camera System



## Instant improvements in:

- Enhanced Vision
- Mobile Safety
- Increased Productivity



# Excavator Camera System



7" Color Monitor with Removable Sun Visor



Boom Camera with Photo-Chromatic Lens gives your camera it's own set of sunglasses



Heated Rear view Counterweight Camera with steel camera guard

- System is designed to eliminate blind spots, increase safety and improve productivity for the excavator operator.
- Reversing camera to enhance operators view of swing area
- Boom camera to view the operation of the excavator attachment; boring, ripping, crushing, cutting, lifting, etc.

**PROVIX**.NET  
NOW I CAN SEE!

# Crane Camera System



- Vision Enhancement
- Increased Productivity
- Overhead Safety
- Less Material Damage



CALL T FREE: 1-888-434-0253 — CONTACT: SALES @PROVIX .NET — VISIT: WWW.PROVIX.NET

# PROVIX.NET

Now I CAN SEE!

The Crane Camera System is suitable for use on the following:

- Telescopic cranes
- Tower cranes
- Crawler cranes
- Hydraulic harbor cranes

A system for every application:

- Wired and wireless cameras
- Battery Pack/ AC / DC charging
- DVR Recording
- Connect up to four cameras
- Chromatic Lens - Camera with Sun Glasses
- Wide and Narrow Focus Lens Cameras
- See the hook and the signalman

Camera provides the crane operator with accurate depth perception, full view of the load and surrounding area in all situations, allowing the operator to work safely and more efficiently. Camera systems are built to specification allowing for boom, hook, swing and cable monitoring. User specific customisation is available and encouraged. Contact us to discuss your application

- Serving the heavy equipment sector from Coast to Coast

PROVIX  
**6436 HWY 89,**  
 ALLISTON,  
 ON L9R 1V2  
**1-888-434-0253**



# LED PORTABLE WORK LIGHT SYSTEM

## Product List

Model Number	Description
60-12V	12V LED Portable Scene Light System

## Features & Benefits

- 3,000 Raw Lumens; 1,400 Effective Lumens
- Available in a 12V DC configuration
- Acrylic lens resists scratching & scuffing
- Fully focusable 3-stage optics go from full flood to full spot beam
- Integrated variable section mast extends to a height of 6ft (1.8m)
- Quick Loc connection allows for fast setup & take down
- Internal steel chassis provides superior strength and rigidity
- Waterproof membrane panel for head controls:
  - ⇒ Battery Status, Brightness, Mode Selection, On/Off
- Integrated tripod stabilizer legs provide a sturdy base for mast when it is fully extended
- Optional Accessories include:
  - ⇒ Integrated Vepac vehicle charging system
  - ⇒ AMF power failure detection system (automatically turns lamp on in outage) Remote control (unit must be ordered with remote option)
  - ⇒ Solid clamping
  - ⇒ Interlocking extension poles for additional height

## General Specifications

<b>Lens Material :</b>	Acrylic
<b>Warranty:</b>	2-year Limited Warranty
<b>Housing Material :</b>	Polypropylene
<b>Mounting :</b>	Portable Handheld/Tripod Mount
<b>Weight:</b>	26lbs (11.8kg)

## Standards Compliance

CE Recognized

## Technical Specifications

60-12V  
 12V DC Input  
 2.500 Amps @ 12V DC  
 Raw Lumen Output: 3000  
 Effective Lumen Output: 1400

## Applications

Agricultural	Construction	Fire & Rescue	Industrial	Law Enforcement	Marine
Mining	Recreational				


## Additional Info

Battery Life: 8 hours @ 100% power, 16 hours @ 50% power, 33 hours @ 25% power, 240+ hours @ 8% power (sign mode)  
 Recharging Time: 4 hours from full discharge






## N46 LED



## N42 LED




### Features

-  Long lifetime.
-  Low maintenance.
-  Waterproof.
-  Heavy Duty construction.
-  Reverse Voltage Protected.
-  EMC.

### Specifications


<b>Theoretical Lumens Output :</b>	<b>1600lm</b>
<b>Operating Lumens Output :</b>	<b>1000lm</b>
<b>Colour Temperature :</b>	<b>6000K</b>
<b>Nominal Voltage DC :</b>	<b>12-24V</b>
<b>Input Voltage Range DC :</b>	<b>9-32V</b>
<b>Power Consumption :</b>	<b>25W</b>
<b>Nominal Current at 12V :</b>	<b>2.0A</b>
<b>Nominal Current at 24V :</b>	<b>1.0A</b>
<b>Electronics :</b>	<b>Integrated</b>
<b>Connector :</b>	<b>Built-in Deutsch</b>
<b>Mount :</b>	<b>Single Bolt M10</b>
<b>Shock :</b>	<b>60G</b>
<b>Vibration :</b>	<b>15.3Grms 24-2000Hz</b>
<b>Lens :</b>	<b>PC</b>
<b>Body :</b>	<b>Aluminium</b>
<b>Weight :</b>	<b>1.6kg</b>
<b>IP Rating :</b>	<b>IP68, IP6K9K, SAE J1455</b>
<b>Salt Mist :</b>	<b>ISO 9227 240H</b>
<b>EMC :</b>	<b>ISO 13766, ISO 14982, ISO 7637-2, CISPR 25 class 3</b>
<b>Operating Temperature :</b>	<b>-40°C ... +85°C (Overheat protected)</b>

### Light Patterns










# HYPALUME® Heavy Duty LED Flood Light



F	C	HMF2000WMOB
F D	C	HMF2000CMOB
F	C	HMF2000LMOB

200G\*
18/52V
240W  
LED
10Kg\*
IP6K9K

## Product Description


- 31-111 -8: -19
- 7 :
- 61 - 26
- C - B
- 29-63 ED-391 E
- 351 A 35 59
- +- )211-351 BD 61-71 \* BDØD
- -51 D , 61 D
- F D 24877-DF-D- - DD D 36 D 3

# AS 5000 LED



Product	AS 5000 LED
Light Output	5.200 Lumens (Measured)
Power Requirements	60 Watts
Housing	Teflon Coated Aluminum
Lens Material	Grilamid Lens
Operating Voltage	9-33 Volts DC
IP Protection	IP6K9K
Operating Temperature	-40 - +50 Celcius
Weight	3 KG
Warranty	5 Year Optics Warranty

Part No's.	Close Range	Long Range
9-33V DC	<b>HM1500WB</b>	<b>HM1500NB</b>
9-33V DC Dimmable	<b>HM1500WBD</b>	<b>HM1500NBD</b>



DRACO
LED
DT
2.6Kg
IP6K9K
200G
12/24V
60W

# Power Beam 3000

\*\*\*

\*\*\*

\*\*\*

## Power Beam 1000 LED



LED Work Light **HMPB100**

Product	Power Beam 1000
Light Output	850 Lumens (Measured)
Power Requirements	18 Watts
Housing	Aluminum Die Cast
Lens Material	Grilamid Lens
Operatin Voltage	9-33 Volts DC
IP Protection	IP6K9K
Operating Temperature	-40 - +50 Celcius
Weight	1.5 KG
Warranty	5 Year Optics Warranty

Product	Compact LED Task Lamp
Light Output	650 Lumens (Measured) ...
Power Requirements	8 Watts
Housing	Aluminum Die Cast
Lens Material	Grilamid Lens
Operatin Voltage	9-64 Volts DC
IP Protection	IP68 ...
Operating Temperature	-40 - +50 Celcius
Weight	0.5 KG
Warranty	5 Year Optics Warranty

## Compact LED Task Lamp



LED Work Light **HM1590WB**

## Dura Ray3 LED - Rotating Beacon

### DuraRAY3®

LED Rotating Beacon



Amber - Illuminated

### Product Description

High impact resistant Xylex® lens system  
Heavy-duty cast alloy base and cap for increased mechanical strength and vibration resistance  
Flame retardant to UL94HB  
Advanced self cleaning surface coating for optimal corrosion and UV protection  
200G shock resistant  
Self-diagnostic electronics for protection against transient voltage spikes and reverse polarity  
LED function color variants available (Amber, Red)  
Low current draw  
Multivolt™ 9-33V DC.

## K - LED Mining LED - Warning Beacon - Amber

### Product Description

- Multivolt™ 9-33V DC
- Low profile beacon: Height only 87.6mm
- Mounting parameters compliant to DuraRAY® and UltraRAY® series
- Amber and red ECE and SAE
- Compliant: ECE R65 TA2, ECE R65 TR2, SAE J 845
- Class Rating : Class 1
- Impact resistant polycarbonate lens
- Yellow powder coated housing
- High EMC resistance: meets CIS PR25 class 5
- Shock tested to 200g
- Temperature range -40°C to 60°C
- **Flashing or Rotating pattern**



## HELLA 500 Fog Lamp Kit



Product	HELLA 500 Fog Lamp Kit
Beam Pattern	Fog
Power Requirements	55 Watts
Housing	ABS
Lens Material	Glass
Operation Voltage	12 Volts
IP Protection	IP6
Operating Temperature	-40 - +50 Celsius
Weight	0.5 KG
Warranty	1 Year Optics Warranty

## Dura LED 1000 Lumens



**5**  
YEAR  
LED  
WARRANTY

Wide Beam	<b>HM1550WB</b>
Magnetic Base DT connector	<b>HM1550DT</b>
Magnetic Base 12V MagCode connector	<b>HM1550MAG-12</b>
Magnetic Base 24V MagCode connector	<b>HM1550MAG-24</b>
Magnetic Base CIG/DIN plug	<b>HM1550CIG</b>

Product	Dura LED
Light Output	1,000 Lumens (Measured)
Power Requirements	< 10 Watts
Housing	Plastic Housing
Lens Material	Plastic Lens
Operating Voltage	9-33 Volts DC
IP Protection	IP6K7K
Operating Temperature	-40 - +50 Celsius
Weight	.25 KG
Warranty	5 Year Optics Warranty

## Hella Mining - Dura LED SAE Signal Lamp

### Rear Turn Signal / Indicator

#### Product Description

- Easy installation
- Variety of surface mount options
- Ultra wide optics for enhanced visibility
- Multivolt 9-33V DC
- Low power consumption and Multi volt circuitry for Maximum light output
- IP6K 6 Protection against dust and high pressure water jets
- Lamps incorporate the latest LED technology for low maintenance requirements, low current draw and ultra long service.



## EuroLED Touch M

### Dual Color Interior Lamp - Multivolt 9-33V DC



#### Product Description

- Dual colour LED lighting Integral, touch sensitive switching
- Dimming function with memory
- Ultra low power consumption
- Shock and vibration resistance



PROVIX'S

PROVIX

PROVIX



**PROVIX.NET**  
Now I CAN SEE!

# SMALL AREA PORTABLE LIGHTING

The smaller jobs require portable lighting that is easy to work next to in confined areas, with no hot surfaces but bright enough to get the job done. PROVIX offers several lighting options that meet this criteria while also being energy efficient. Choose from the PROVIX LED Flood Light Series or any of the Defender industrial lighting products for the small jobs. Hang-A-Light offers overhead lighting with those small areas in mind that is cool burning and easy to install. No matter how small or large the area, PROVIX has a light for the job.



CALL: 1-888-434-0253 - CONTACT: SALES@PROVIX.NET - VISIT: WWW.PROVIX.NET



PROVIX

PROVIX

# Proactive Combination Safety System

**DETECT, ALERT, REACT** Before accidents can occur

- ◆ Provides driver with audible and visual in-cab warning
- ◆ Integrates powerful object detection radar with safety cameras to notify drivers of surrounding objects
- ◆ Robust Radar detects objects even when the camera view is hindered
- ◆ Broadband alarm notifies people around vehicle
- ◆ Enhances Safety all around the vehicle!



1) Equipment Cameras

2) Proximity Detection

3) Broadband White noise-  
Back-up Alarm

1



**Equipment Cameras**

Visual Warning

1 for reversing

- add up to 3 more

2



**Proximity Detection**

Detect and Alert with

Audible Warning

-1 Rear Sensor, 2 in front

3



**Broadband Back-up Alarm**

Alert people around vehicle

Provix integrates the consistency of our Radar Sensors with the quality of our cameras to provide drivers with a comprehensive object detection solution that meets the rugged conditions common in the heavy equipment industry.



# Eliminate Noise Complaints NOW!

## Increase Worker Safety

## Keep Your Neighbors Happy!



### BROADBAND WHITE SOUND BACK-UP ALARMS

INTRODUCING THE SMART, SELF-ADJUSTING BBS-TEK® BACK-UP ALARMS

WITH VOLUME RANGES FROM 77-97DB(A) AND 87-107DB(A)



MAKING THEM IDEAL FOR TRUCKS, BUSES, COACHES, FORKLIFTS, AIRPORT VEHICLES,

CONSTRUCTION & MINING MACHINERY, AS WELL AS WORKING IN AREAS WHERE THE AMBIENT NOISE LEVEL MAY VARY SIGNIFICANTLY.



77-97db



87-107db

PROVIDES GREATER SAFETY & LESS NOISE NUISANCE THAN ANY OTHER ALARM!

**KEY BENEFITS:**

- 'Smart' self-adjusting sound level
- Ambient noise is monitored once every second
- Automatically adjusts the alarm volume 5-10dB above the sampled noise level
- Sound is instantly locatable so you can tell which vehicle is reversing
- Focuses warning sound in the danger zone behind the vehicle, so it doesn't annoy site neighbors or other people
- Unlike conventional alarms, the 'shh... shh...' sound of broadband sound (white sound) is easy on the ear and dissipates fast outside the danger area
- Tough, Durable, Waterproof (IP68)
- Conforms to SAE J994 environmental standards
- Solid state, spark-free electronics
- Epoxy sealed for protection against vibration, dust and moisture

\*This is particularly important for vehicles maneuvering in close proximity to each other or going from a noisy environment, such as a factory floor, to a quieter external location, such as a work yard, ensuring the warning is always heard.



<u>SPECIFICATION:</u>	<u>97:</u>	<u>107:</u>
POWER INPUT	12-24Vdc	12-24Vdc
POWER CONSUMPTION	0.5	1.0
SOUND LEVEL (DB(A)@1M)	77-97	87-107
SOUNDER UNIT	Speaker	Speaker
FREQUENCY	Multi	Multi
DIMENSIONS (IN.)	5 x 2.5 x 3.6	7 x 3.7 x 3.1

CALL TOLL FREE: 1-888-434-0253 — CONTACT: SALES@PROVIX.NET — VISIT: WWW.PROVIX.NET

## Provix Broadband Alarms– The Benefits

### SAFETY – Much Greater Safety

- **Their sound is locatable**  
The location of a broadband sound source is instantly and unambiguously recognisable and reveals immediately which vehicle or machine is backing-up. Narrowband sound is liable to give false directional clues due to reflection off surfaces such as buildings, quarry faces etc. sometimes with fatal results
- **Sound is localised within hazard area**  
Familiarity with unneeded warning alarms heard *outside* the hazard area breeds general contempt for them – very dangerous when real need is.
- **Audible through Ear Defenders**  
The lower frequencies of their broad frequency spectrum penetrate ear defenders more readily than the higher frequencies of narrowband alarms
- **End to intentional disconnects**  
Operators and site workers, driven mad by old narrowband alarms, are very happy to work with broadband and appreciate its safety value

### ENVIRONMENT – End To Noise Complaints

- **Rapid Sound Dissipation**  
Broadband sound dissipates much faster than narrowband. This results in its warning sound being confined to the hazard area.
- **Less Irritating**  
Psychoacoustically, broadband sound is tolerable whereas pulsed narrowband sound disturbs and irritate workers and householders far from the hazard area.
- **Less decibels**  
Broadband sound is *equally audible at lower Sound Pressure Levels* than narrowband.

### HEALTH – Reduce Hearing Damage & “Startle”

- **Reduced risk of Hearing Damage**  
Lower sound-pressure levels spread across a broad frequency-band diminish the hearing-damage hazard of high narrowband frequencies (the stiletto heel effect)
- **Heart risk due to “startle”**  
Sudden burst of loud narrowband sound nearby can cause severe heart stress due to the “startle” factor

### NOISE - The 21<sup>ST</sup> Century Pollutant

“Calling noise a nuisance is like calling smog an inconvenience”,

*Dr William H. Stewart, former Surgeon General of USA*

“Noise is any loud, discordant or disagreeable sound or sounds”

*Webster’s New Woropld Dictionary*

***Broadband back-up alarms are “noiseless” – their sound is neither loud, discordant nor disagreeable. Traditional, old narrowband alarms are intrinsically unsafe, noisy, irritating, disagreeable, injurious to health, cause stress and are frequently sabotaged. They are now obsolete.***

# Collision Avoidance

**Ensure Safety all around the vehicle with our effective Collision Avoidance System!**

Sensor bar Includes:

- Four Proximity Sensors
- Heated Camera Systems
- Self Adjusting Broadband alarm


## Product Features:

- 1) Real-time digital direction and distance display on screen
- 2) Integration of rear view display, barrier distance and voice alarm
- 3) In cab display provides an audible and visual notification to the operator so they can react before an accident occurs

**DETECT, ALERT, REACT** *Before accidents can occur*



Sensor Bar installed on the back of a loader.



4 Proximity Sensors

Broadband Alarm

Rear-view Camera



Able to detect objects from a detecting distance of 2ft – 10ft!

Available for many pieces of equipment:

