



WARNING LIGHTS AND LIGHT BARS 2020

40" LED Warning Light Stick - Multiple Pattern

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2940A	Amber	32 x 1W	Amber	8 Patterns	12V - 30V	4.03 @ 12V	Box



- Lamp Dimension : 40"L x 2"H x 2-1/2" D [3" D mounted]
- Aluminium Light Bar with Polycarbonate Lens
- Mounts with "L" or "T" Brackets (included)
- Comes with Control Box for Flash Selection
- 12.8 ft Wire from the Light Bar & 10" Wire from the Control box
- IP 65
- Full Unit Quad Flash & Left/Right Alternating Single Flash

LED Warning Light Set with Small Arrows - Multiple Pattern

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2980A	Amber	48 x 1W	Amber	8 Patterns	12V - 30V	4.62 @ 12V	Box



- Lamp Dimension : 45-1/4"L x 10"H x 2-1/2" D [3" D mounted]
- Aluminium Light Bar with Polycarbonate Lens
- Mount with "L" or "T" Brackets (included)
- Comes with Control Box for Flash Selection
- 12.8 ft Wire from the Light Bar & 10" Wire from the Control box
- Foldable Arrows for Easy Storage
- IP 65
- Full Unit Quad Flash & Left/Right Alternating Single Flash

LED Warning Light Set with Large Arrows - Multiple Pattern

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2990A	Amber	64 x 1W	Amber	8 Patterns	12V - 30V	4.95 @ 12V	Box



- Lamp Dimension : 45-1/4"L x 17-1/2"H x 2-1/2" D [3" D mounted]
- Aluminium Light Bar with Polycarbonate Lens
- Mount with "L" or "T" Brackets (included)
- Comes with Control Box for Flash Selection
- 12.8 ft Wire from the Light Bar & 10" Wire from the Control box
- Foldable Arrows for Easy Storage
- IP 65
- Full Unit Quad Flash & Left/Right Alternating Single Flash

Part No.	Replacement Accessories for PRXE-2940A, PRXE-2980A & PRXE-2990A	Pkg
PRXE-F291	Replacement Control Box	Bulk
PRXE-F292	Replacement "L" Bracket (sold in pairs)	Bag
PRXE-F293	Replacement "T" Bracket (sold in pairs)	Bag
PRXE-F297	13 ft Extension Wire w/ Connectors	Bulk
PRXE-F298	33 ft Extension Wire w/ Connectors	Bulk

9.75" Compact LED - Multiple Pattern


Permanent Mount Models

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2110AC	Amber	30 x 1W	Clear	23 Patterns	12V - 24V	3.8 @ 12V	Box
	Mounting Type		2 Mounting Brackets with Lead Wires				
PRXE-2110ACB	Amber	30 x 1W	Clear	23 Patterns	12V - 24V	3.8 @ 12V	Box
	Mounting Type		Single Bolt Bracket with Lead Wires				


- Lamp Dimension : 9.75" L x 6.77" W x 1.45" H [2" H mounted]
- Polycarbonate Lens & Base
- EMC IPX5
- **SAE J845 Class 1** on all lamp single, quint & ultra flashes
- **SAE J845 Class 2** on all lamp double & quad flashes & 360° rotating flash



PRXE-2110AC



PRXE-2110AC




PRXE-2110ACB

Part No.	Accessories for E-2110AC & E-2110ACB	Pkg
PRXF-S955	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXST105 On-Off-Momentary On Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXE-F212	Replacement Brackets (sold in pairs) for PRXE-2110AC	Bulk
PRXE-F211	Replacement Bracket for PRXE-2110ACB	Bulk

Magnetic Mount Model

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2110ACM	Amber	30 x 1W	Clear	23 Patterns	12V - 24V	3.8 @ 12V	Box

- Lamp Dimension : 9.75" L x 6.77" W x 1.45" H [1-13/16" H mounted]
- Polycarbonate Lens & Base
- 4-Magnet Mount, Fused Cigarette Power Adaptor with On/Off Switch, Flash Selection Switch & 9.8 ft of Wire
- EMC IPX5
- **SAE J845 Class 1** on all lamp single, quint & ultra flashes
- **SAE J845 Class 2** on all lamp double & quad flashes & 360° rotating flash



PRXE-2110ACM



PRXE-2110ACM

15" LED Quad Flash (alternating left & right)

Low profile, slim line, aluminium light bar with high output LED diodes.

Magnetic Mount Model

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2150AM	Amber/Amber	32 x 1W	Amber	Quad Alternating Left & Right	12V - 30V	0.74 @ 12V	Box

- Lamp Dimension : 15" L x 3-11/16" W x 1-7/16" H [2-3/16" H mounted]
- Aluminium Light Bar with Polycarbonate Lens
- 2 Magnets with Suction Cups
- Fused Cigarette Power Adaptor with On/Off Switch & 12.5 ft of Wire
- EMC IP65
- **SAE J595 Class 1** (Front & Rear Directional)



PRXE-2150AM

14" Compact LED - Multiple Pattern

Low profile but powerful 360° LED Warning Light Bars. Very bright and complies with SAE Class 1 Standards.

Permanent Mount Model

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2140AC	Amber	24 x 1W	Clear	23 Patterns	12V - 24V	3.8 @ 12V	Box



PRXE-2140AC

- Lamp Dimension : 14" L x 8" W x 2" H
- Polycarbonate Lens & Base
- 1-Bolt Mounting Brackets with Lead Wires
- EMC IPX4K
- **SAE J845 Class 1** on flashes

Part No.	Accessories for E-2140A	Pkg
PRXF-S955	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXST105 On-Off-Momentary On Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag

Magnetic Mount Model

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2140ACM	Amber	24 x 1W	Clear	23 Patterns	12V - 24V	3.8 @ 12V	Box



PRXE-2140ACM

- Lamp Dimension : 14" L x 8" W x 2" H
- Polycarbonate Lens & Base
- 2-Magnet Mount, Fused Cigarette Power Adaptor with On/Off Switch, Flash Selection Switch & 9.8 ft of Wire
- EMC IPX4K
- **SAE J845 Class 1** on 3 flashes

16.5" LED Multiple Pattern

Permanent Mount Mode

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2160A	Amber	18 x 1W	Amber	19 Patterns	12V	3.07 @ 12V	Box



PRXE-2160A

- Lamp Dimension : 16-5/8" L x 10-7/8" W x 3" H [3-3/4" H mounted]
- Polycarbonate Lens & Base
- 2 Mounting Brackets with Lead Wires
- EMC IPX5
- **SAE J845 Class 1** on all lamp single & quint flashes
- **SAE J845 Class 2** on all lamp double, quad & ultra flashes

Part No.	Accessories for E-2160A	Pkg
PRXF-S975	Fuse/Switch Kit consisting of: ST100 On/Off Toggle Switch, ST105 On-Off-Momentary On Toggle Switch, ATM075 7.5 Amps Mini Fuse & ATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXE-F216	Replacement Brackets (sold in pairs) for E-2160A	Bulk

16.5" LED Multiple Pattern

Magnetic Mount Model

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2160AM	Amber	18 x 1W	Amber	19 Patterns	12V	3.07 @ 12V	Box

- Lamp Dimension : 16-5/8" L x 6-3/8" W x 3" H [3-1/2" H mounted]
- Polycarbonate Lens & Base
- 4-Magnet Mount, Fused Cigarette Power Adaptor with On/Off Switch, Flash Selection Switch & 11.5 ft of Wire
- EMC IPX5
- **SAE J845 Class 1** on all lamp single & quint flashes
- **SAE J845 Class 2** on all lamp double, quad & ultra flashes



PRXE-2160AM

16.5" LED Quad Flash (alternating left & right)

Permanent Mount Models

Part No.	Diodes Colour	Diodes	Dome/Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-280AA	Amber/Amber	32 x 1W	Amber	Quad Alternating Left & Right	12V - 30V	1.13 @ 12V	Box
PRXE-280AC	Amber/Amber	32 x 1W	Clear	Quad Alternating Left & Right	12V - 30V	1.13 @ 12V	Box
PRXE-280AW	Amber/White	32 x 1W	Clear	Quad Alternating Left & Right	12V - 30V	1.13 @ 12V	Box

- Lamp Dimension : 16-1/2" L x 8-1/16" W x 4-3/16" H
- Sturdy ABS Base with Polycarbonate Dome & Lens
- Mounting centres 12-5/8" by 6"
- EMC IP65
- PRXE-280AA and PRXE-280AC - **SAE J595 Class 1** (Front & Rear Directional)



PRXE-280AA



PRXE-280AC /E-280AW

Part No.	Accessories for E-280AA, E-280AC & E-280AW	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag

Magnetic Mount Models

Part No.	Diodes Colour	Diodes	Dome/Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-280AAM	Amber/Amber	32 x 1W	Amber	Quad Alternating Left & Right	12V - 30V	1.13 @ 12V	Box
PRXE-280ACM	Amber/Amber	32 x 1W	Clear	Quad Alternating Left & Right	12V - 30V	1.13 @ 12V	Box
PRXE-280AWM	Amber/White	32 x 1W	Clear	Quad Alternating Left & Right	12V - 30V	1.13 @ 12V	Box

- Lamp Dimension : 16-1/2" L x 8-1/16" W x 4-3/16" H [4-1/2" H mounted]
- Sturdy ABS Base with Polycarbonate Dome & Lens
- 2 Magnets with Suction Cups
- Fused Cigarette Power Adaptor with On/Off Switch & 11 ft of Wire
- EMC IP65
- PRXE-280AAM and PRXE-280ACM - **SAE J595 Class 1** (Front & Rear Directional)



PRXE-280AAM



PRXE-280ACM /PRXE-280AWM

Low profile, slim line, aluminium light bar with high output LED diodes. Available in 23" and 45" lengths.

23" LED Multiple Pattern

Permanent Mount Model

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2230A	Amber/Amber	40 x 1W	Amber	8 Patterns	12V - 30V	3.49 @ 12V	Box



- Lamp Dimension : 23" L x 3-11/16" W x 1-7/16" H [3-7/8" H mounted w/ brackets]
- Aluminium Light Bar with Polycarbonate Lens
- Complete with adjustable mounting brackets and control box for flash pattern selection
- 12 ft Wire from the Light Bar & 6" Wire from the Control box
- ECM IP65
- **SAE J595** (Front & Rear Directional) - **Class 1** on 1 flash & Class 2 on other flashes

PRXE-2232AM



Part No.	Accessories for E-2230A	Pkg
PRXE-F255	Low Profile Aluminium Brackets (sold in pairs) to reach mounted height of 2" only Bracket Dimension : 5-3/16" L x 3/4" W x 9/16" H Mounting Holes : Two 7/32" holes at 4-3/4" centres	Retail Bag
PRXE-F065-8	6.5 ft Extension Wires w/ Connectors (8-Pin) for PRXE-2230A	Bulk
PRXE-F260-8	26 ft Extension Wires w/ Connectors (8-Pin) for PRXE-2230A	Bulk
PRXE-F200-8	Replacement Control Box (8-Pin)	Bulk
PRXE-F250	Replacement Mounting Brackets (sold in pairs)	Bulk

Magnetic Mount Models

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2232AM	Amber/Amber	40 x	Amber	12 Patterns	12V - 30V	0.92 @ 12V	Box
PRXE-2232ACM	Amber/Amber	40 x	Clear	12 patterns	12V - 30V	0.92 @ 12V	Box
PRXE-2232AWM	Amber/White	40 x	Clear	12 Patterns	12V - 30V	1.61 @ 12V	Box



- Lamp Dimension : 23" L x 3-11/16" W x 1-7/16" H [2-3/16" H mounted]
- Aluminium Light Bar with Polycarbonate Lens
- 2 Magnets with Suction Cups
- Fused Cigarette Power Adaptor with Switch for Flash Pattern Selection & 12.5 ft of Wire
- EMC IP65

45" LED Multiple Pattern

Permanent Mount Model

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-2450A	Amber/Amber	72 x 1W	Amber	8 Patterns	12V - 30V	5.55 @ 12V	Box



- Lamp Dimension : 45" L x 3-11/16" W x 1-7/16" H [3-7/8" H mounted w/ brackets]
- Aluminium Light Bar with Polycarbonate Lens
- Complete with adjustable mounting brackets and control box for flash pattern selection
- 12 ft Wire from the Light Bar & 6" Wire from the Control box
- EMC IP65
- **SAE J595** (Front & Rear Directional) - **Class 1** on 1 flash & Class 2 on other flashes



Part No.	Accessories for E-2450A	Pkg
PRXE-F700-2	Plated Steel Extension Plate (sold in pairs) to extend length of light bar to fit larger pick up trucks, such as Ford 250 Plate Dimension : 16" L x 2" W	Bulk
PRXE-F255	Low Profile Aluminium Brackets (sold in pairs) to reach mounted height of 2" only Bracket Dimension : 5-3/16" L x 3/4" W x 9/16" H Mounting Holes : Two 7/32" holes at 4-3/4" centres	Retail Bag
PRXE-F065-8	6.5 ft Extension Wires w/ Connectors (8-Pin) for PRXE-2450A	Bulk
PRXE-F260-8	26 ft Extension Wires w/ Connectors (8-Pin) for PRXE-2450A	Bulk
PRXE-F200-8	Replacement Control Box (8-Pin)	Bulk
PRXE-F250	Replacement Mounting Brackets (sold in pairs)	Bulk

Compact Low Profile - Multiple Pattern

Compact but powerful directional LED Warning Lights. Low profile - about 3/4" in height. Very bright and complies with SAE Class 1 standards. Various mounting brackets available for PRXE-915 series - easily mounts on every application : surface mount, grill mount, dash mount or head liner mount.

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-915AA	Amber/Amber	6	Clear	19 Patterns	12V - 24V	0.50 @ 12V	Retail Bag
PRXE-915AW	Amber/White	6	Clear	19 Patterns	12V - 24V	0.70 @ 12V	Retail Bag
PRXE-915WW	White/White	6	Clear	19 Patterns	12V - 24V	0.80 @ 12V	Retail Bag
PRXE-915BB	Blue/Blue	6	Clear	19 Patterns	12V - 24V	0.57 @ 12V	Retail Bag
PRXE-915BR	Blue/Red	6	Clear	19 Patterns	12V - 24V	0.55 @ 12V	Retail Bag
PRXE-915GG	Green/Green	6	Clear	19 Patterns	12V - 24V	0.46 @ 12V	Retail Bag
PRXE-915RR	Red/Red	6	Clear	19 Patterns	12V - 24V	0.61 @ 12V	Retail Bag



PRXE-915 Side



PRXE-915

- Lamp Dimension : 5" L x 1" W x 11/16" H
- Black Powder Coated Aluminium Base & Polycarbonate Lens
- Surface mount - 2 holes @ 4-3/4" centres
- Lights can be synchronized using yellow wire
- EMC IPX7
- PRXE-915AA, PRXE-915WW, PRXE-915BB and PRXE-915RR : **SAE J595 Class 1** on 5 flashes

Part No.	Accessories for E-915 series	Pkg
PPRXF-S935	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXST108 Momentary On-Off Toggle Switch PRXATS03 3 Amps Standard Fuse & PRXATSF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXE-F951	"L" Bracket for mounting single PRXE-915	Bulk
PRXE-F952	"L" Bracket for mounting double PRXE-915	Bulk
PRXE-F953	"T" Bracket for mounting PRXE-915	Bulk
PRXE-F954	Adjustable Swivel Bracket	Bulk



PRXE-F951



PRXE-F952



PRXE-F953



PRXE-F954

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-913A	Amber	3	Clear	12 Patterns	12V - 24V	0.29 @ 12V	Retail Bag
PRXE-913W	White	3	Clear	12 Patterns	12V - 24V	0.42 @ 12V	Retail Bag



PRXE-913

- Lamp Dimension : 3-5/16" L x 1-1/8" W x 11/16" H
- Black Powder Coated Aluminium Base & Polycarbonate Lens
- Surface mount - 2 holes @ 3-1/16" centres
- Lights can be synchronized using yellow wire
- EMC IPX7
- **SAE J595 Class 2** on 7 flashes

Part No.	Accessories for E-913 series	Pkg
PPRXF-S935	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXST108 Momentary On-Off Toggle Switch PRXATS03 3 Amps Standard Fuse, PRXATSF14C In-Line Fuse Holder w/ Cover	Retail Bag

LED Quad Flash (Strobe)



PRXE-950A



PRXE-950CA



PRXE-950G



PRXE-950CG



PRXE-950B



PRXE-950CW



PRXE-950R

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-950A	Amber	4	Amber	Quad	9V - 36V	0.40 @ 12V	Retail Bag
PRXE-950CA	Amber	4	Clear	Quad	9V - 36V	0.40 @ 12V	Retail Bag

- Lamp Dimension : 4-3/4" L x 1-7/8" W x 1-5/8" H
- Aluminium Die Cast Base & Polycarbonate Lens
- Surface mount - 2 holes @ 4-1/2" centres
- EMC IP67
- **SAE J595 Class 2**

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-950G	Green	4	Green	Quad	9V - 36V	0.40 @ 12V	Retail Bag
PRXE-950CG	Green	4	Clear	Quad	9V - 36V	0.40 @ 12V	Retail Bag

- Lamp Dimension : 4-3/4" L x 1-7/8" W x 1-5/8" H
- Aluminium Die Cast Base & Polycarbonate Lens
- Surface mount - 2 holes @ 4-1/2" centres
- EMC IP67

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-950B	Blue	4	Blue	Quad	9V - 36V	0.30 @ 12V	Retail Bag
PRXE-950CW	White	4	Clear	Quad	9V - 36V	0.40 @ 12V	Retail Bag
PRXE-950R	Red	4	Red	Quad	9V - 36V	0.30 @ 12V	Retail Bag

- Lamp Dimension : 4-3/4" L x 1-7/8" W x 1-5/8" H
- Aluminium Die Cast Base & Polycarbonate Lens
- Surface mount - 2 holes @ 4-1/2" centres
- EMC IP67
- **SAE J595 Class 2**

Part No.	Accessories for E-950 Series	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag

LED White Steady Utility Light



PRXE-955C

Part No.	Diodes Colour	Diodes	Lens Colour	Pattern	Voltage	Amps	Pkg
PRXE-955C	White	4	Clear	Steady	12V	0.50	Retail Bag


- Lamp Dimension : 4-3/4" L x 1-7/8" W x 1-5/8" H
- Aluminium Die Cast Base & Polycarbonate Lens
- Surface mount - 2 holes @ 4-1/2" centres
- IP67

4" Round LED Quad Flash (Strobe)

PRXE-940 has the same dimension as a 4" tail lamp. Use regular open or closed back grommets and double contact pigtails. Convenient and easy to install. Lamp kits with grommet, pigtail & mounting bracket available for instant installation. Also available in rubber housing just like a work lamp for permanent mount or magnetic mount.

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-940A	Amber	24	Amber	Quad	9V - 36V	0.38 @ 12V	Retail Bag
PRXE-940CA	Amber	24	Clear	Quad	9V - 36V	0.38 @ 12V	Retail Bag
PRXE-940B	Blue	24	Blue	Quad	9V - 36V	0.38 @ 12V	Retail Bag
PRXE-940R	Red	24	Red	Quad	9V - 36V	0.38 @ 12V	Retail Bag

- Lamp Dimension : 4-1/4" Dia x 1-3/4" H
- Polycarbonate Lens & Body
- EMC IP67
- SAE J595 Class 2



Part No.	Kits for Instant Installation:	Pkg
PRXE-940A-K	with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-940CA-K	with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-940B-K	with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-940R-K	with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-940A-KM	with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-940CA-KM	with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-940B-KM	with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-940R-KM	with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag



Part No.	Rubber Lamp Assembly	Pkg
PRXE-940A	in Rubber Housing	Retail Bag
PRXE-940CA	in Rubber Housing	Retail Bag
PRXE-940B	in Rubber Housing	Retail Bag
PRXE-940R	in Rubber Housing	Retail Bag



Part No.	Magnetic Mount Rubber Lamp Assembly	Pkg
PRXE-940A	in Rubber Housing with Magnetic Base & Fused Cigarette Power Adaptor	Retail Bag
PRXE-940CA	in Rubber Housing with Magnetic Base & Fused Cigarette Power Adaptor	Retail Bag
PRXE-940B	in Rubber Housing with Magnetic Base & Fused Cigarette Power Adaptor	Retail Bag
PRXE-940R	in Rubber Housing with Magnetic Base & Fused Cigarette Power Adaptor	Retail Bag



Part No.	Accessories for E-940 series	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Taggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag

PRXE-920 & PRXE-921 are the same dimensions as an oval tail lamp. Use regular open or closed back grommets and double contact pigtails. Convenient and easy to install. Lamp kits with grommet, pigtail & mounting bracket available for instant installation.

Oval LED Quad Flash (Strobe)



PRXE-920A



PRXE-920CA



PRXE-920B



PRXE-920R

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRX-920A	Amber	24	Amber	Quad	9V - 36V	0.38 @ 12V	Retail Bag
PRXE-920CA	Amber	24	Clear	Quad	9V - 36V	0.38 @ 12V	Retail Bag
PRXE-920B	Blue	24	Blue	Quad	9V - 36V	0.38 @ 12V	Retail Bag
PRXE-920R	Red	24	Red	Quad	9V - 36V	0.38 @ 12V	Retail Bag

- Lamp Dimension : 6-1/2" L x 2-1/4" W x 1-3/4" H
- Polycarbonate Lens & Body
- EMC IP67
- **SAE J595 Class 2**



PRXE-920R-K



PRXE-920A-KM



PRXE-920CA-KM

Part No.	Kits for Instant Installation:	Pkg
PRXE-920A-K	with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-920CA-K	with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-920B-K	with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-920R-K	with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-920A-KM	with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-920CA-KM	with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-920B-KM	with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-920R-KM	with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag

Part No.	Accessories for PRXE-920 series	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag

Oval LED Sequential Flashing (Arrows)



PRXE-921A



PRXE-921A-K



PRXE-921A-KM

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-921A	Amber	35	Amber	Sequential	9V - 36V	0.38 @ 12V	Retail Bag

- Lamp Dimension : 6-1/2" L x 2-1/4" W x 2" H
- Polycarbonate Lens & Body
- Sequential Flash Fills Lamp and Repeats
- EMC IP67

Part No.	Kits for Instant Installation:	Pkg
PRXE-921A-K	E-921A with Open Back Grommet & Double Contact Pigtail	Retail Bag
PRXE-921A-KM	E-921A with Black Steel Mounting Bracket, Open Back Grommet & Double Contact Pigtail	Retail Bag

Part No.	Accessories for E-921 series	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag

Heavy Duty LED Quad Flash (Strobe)

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-888AC	Amber	8 High Output Diodes	Quad	12V - 40V	1.30 @ 12V	Box

- Lamp Dimension : 7-1/2" H x 8-3/4" Base Dia
- Aluminium Base with Polycarbonate Amber Lens & Clear Dome
- Mounting Options : 3-1/2" center or 7" center
- IP65
- **SAE J845 Class 1**



PRXE-888AC

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-880AC	Amber	120	Quad	12V	0.87	Box

- Lamp Dimension : 7-1/2" H x 8-3/4" Base Dia
- Aluminium Base with Polycarbonate Amber Lens & Clear Dome
- Mounting Options : 3-1/2" center or 7" center
- EMC IP65
- **SAE J845 Class 2**



PRXE-880AC

Part No.	Accessories for E-888AC & E-880AC	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk

Combination LED Quad Flash (Strobe) & LED Rotating

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-658A	Amber	8 High Output Diodes	Quad / Rotating	12V - 50V	1.50 @ 12V	Box

- Lamp Dimension : 4-1/2" H x 6-1/2" Base Dia
- Aluminium Base & Polycarbonate Lens
- **Switch (PRXST109) Included** for Flash Pattern Selection
- 3 Mounting Holes on 6" diameter
- IP65
- **SAE J845 Class 1** on Quad Flash
- **SAE J845 Class 2** on Rotating Flash



PRX-658A

Part No.	Accessories for E-658A	Pkg
PRXE-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXE-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk
PRXE-FM600	Magnet Mount Kit w/ Coiled Wire and Fused Cigarette Power Adaptor to convert lamp to magnetic mount	Bulk

LED Rotating Flash



PRXE-650 A

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-650A	Amber	8 High Output Diodes	Rotating	12V - 40V	0.60 @ 12V	Box

- Lamp Dimension : 5" H x 6-1/2" Base Dia
- Sturdy ABS Base & Polycarbonate Lens
- 3 Mounting Holes on 6" diameter
- IP65
- **SAE J845 Class 2**

Part No.	Accessories for E-650A	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk
PRXF-FM600	Magnet Mount Kit w/ Coiled Wire and Fused Cigarette Power Adaptor to convert lamp to magnetic mount	Bulk

LED Quad Flash (Strobe)



PRXE-550A

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-550A	Amber	120	Quad	12V	0.87	Box

- Lamp Dimension : 5" H x 6.3" Base Dia
- Sturdy ABS Base & Polycarbonate Lens
- 3 Mounting Holes on 6" diameter
- EMC IP65
- **SAE J845 Class 2**



PRXE-550AT Pole Mount

PRXE-550AT Surface Mount

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-550AT	Amber	120	Quad	12V	0.87	Box

- Lamp Dimension : 5" H x 6.3" Base Dia
- Black Enamel Aluminium Base with Chrome Ring
- Pole Mount use 1" pipe thread NPT (pipe not included)
- 3 Mounting Holes on 6" diameter
- EMC IP65
- **SAE J845 Class 2**



PRXE-553A

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-553A	Amber	8 High Output Diodes	Quad	12V	0.96 @ 12V	Box

- Lamp Dimension : 5" H x 6.5" Base Dia
- Sturdy ABS Base & Polycarbonate Lens
- 3 Mounting Holes on 6" diameter
- IP66
- **SAE J845 Class 2**

Part No.	Accessories for E-550A, E-550AT & E-553A	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk
PRXF-FM600	Magnet Mount Kit w/ Coiled Wire and Fused Cigarette Power Adaptor to convert lamp to magnetic mount	Bulk

LED Quad Flash (Strobe)

Permanent Mount Model

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-330A	Amber	30	Quad	12V - 40V	0.14 @ 12V	Box
PRXE-330W	White	30	Quad	12V - 40V	0.14 @ 12V	Box

- Lamp Dimension : 3-3/4" H x 5" Base Dia
- Sturdy ABS Base & Polycarbonate Lens
- 3 Mounting Holes on 4-3/4" diameter
- IP66

Part No.	Accessories for E-330A	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk



Magnetic Mount Models

Part No.	Colour	On/Off Switch	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-330AM	Amber	No	30	Quad	12V - 40V	0.14 @ 12V	Box
PRXE-332AM	Amber	Yes	30	Quad	12V - 24V	0.14 @ 12V	Box
PRXE-330BM	Blue	No	30	Quad	12V - 40V	0.14 @ 12V	Box

- Lamp Dimension : 3-3/4" H x 5" Base Dia
- Magnetic Base with Fused Cigarette Power Adaptor & Polycarbonate Lens
- IP66



LED Rotating Flash

Part No.	Colour	Diodes	Flash Pattern	Voltage	Amps	Pkg
PRXE-350A	Amber	30	Rotating	12V	0.10	Box

- Lamp Dimension : 4" H x 5" Base Dia
- Sturdy ABS Base & Polycarbonate Lens
- 3 Mounting Holes on 4-5/8" diameter
- IP66

Part No.	Accessories for E-350A	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk
PRXF-FM600	Magnet Mount Kit w/ Coiled Wire and Fused Cigarette Power Adaptor to convert lamp to magnetic mount	Bulk



Battery Operated LED Rotating

Part No.	Colour	Diodes	Flash Pattern	Mounting	Pkg
PRXE-480AM	Amber	20	Rotating	Magnetic Base	Box
PRXE-480BM	Blue	20	Rotating	Magnetic Base	Box
PRXE-480AB	Amber	20	Rotating	Bracket Mount	Box

- Lamp Dimension : 4-1/2" H x 5" Base Dia
- Comes with On/Off Switch
- Use 4 AA Batteries (not included)
- IP65



Battery Operated LED (Strobe)



PRXE-420AM

Part No.	Colour	Diodes	Flash Pattern	Mounting	Pkg
PRXE-420AM	Amber	4	Single	Magnetic Base	Box

- Lamp Dimension : 4" H x 4-3/4" Base Dia
- Comes with On/Off Switch
- Use 2 AA Batteries (not included)
- IP65



PRXE-450AM

Part No.	Colour	Diodes	Flash Pattern	Mounting	Pkg
PRXE-450AM	Amber	30	Quad	Magnetic Base	Box

- Lamp Dimension : 5" H x 4-3/4" Base Dia
- Comes with On/Off Switch
- Use 9V Battery (not included)

Multiple Pattern LED Mini Dual Warning Light Sets

Each set contains 2 LED synchronized strobe heads. Strobe heads can be mounted inside head or tail lamp assemblies or surface mounted. All necessary mounting hardware included.




PRXE-985AK
LED Strobe Heads

Part No.	Diodes Colour	Diodes	Lens Colour	Flash Pattern	Voltage	Amps	Pkg
PRXE-985AK	Amber	6	Amber	19 Patterns	12V	0.7	Box
PRXE-985CAK	Amber	6	Clear	19 Patterns	12V	0.7	Box
PRXE-985CWK	White	6	Clear	19 Patterns	12V	0.7	Box
PRXE-985BK	Blue	6	Blue	19 Patterns	12V	0.7	Box




- Each Light Set consists of:
 - 2 LED Strobe Heads in Chrome Aluminium Base & Polycarbonate Lens
 - 2 Black Flanges
 - Control Box with 36" Wire Harness at Each End
 - 80" Extension Wire Harness
 - Momentary On-Off Chrome Toggle (PRXST108) for Flash Pattern Selection - Gaskets & Screws
- Lamp Dimension : 1-1/2" Dia x 1-1/16" H
- Mounting Holes : 2 holes @ 1-9/32 centers
- IPX7

Part No.	Accessories for E-958 series	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXE-F985-5	Chrome Flange	Retail Bag



Headlamp/Tail lamp
Assembly Mount



Surface Mount

Heavy Duty Strobe

Part No.	Colour	Flash Pattern	Joules	Voltage	Amps	Pkg
PRXC-883AC	Amber	Double/Quad SAE J845 Class 2	17	12V - 24V	2.21 @ 12V	Box
PRXC-880BC	Blue	Single/Quad Quad - SAE J1318 Class 2 Single - SAE J1318 Class 3	14	12V - 48V	2.0 @ 12V	Box

- Lamp Dimension : 7-1/2" H x 8-3/4" Base Dia
- Aluminium Base with Polycarbonate Lens & Clear Dome
- Mounting Options : 3-1/2" center or 7" center
- EMC IP65



PRXC-883AC

Part No.	Accessories for C-883AC & C-880BC	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk
PRXCB-883	Replacement Flash Bulb for PRXC-883AC	Clamshell
PRXCB-880	Replacement Flash Bulb for PRXC-880BC	Clamshell
PRXCC-880	Replacement Clear Dome	Bulk
PRXCL-550A	Replacement Amber Lens for	Bulk
PRXCL-550B	Replacement Blue Lens for	Bulk



PRXC-880BC

Part No.	Colour	Flash Pattern	Joules	Voltage	Amps	Pkg
PRXC-553A	Amber	Double/Quad SAE J845 Class 2 w/ High/Low Intensity Option	17	12V - 24V	2.21 @ 12V	Box

- Lamp Dimension : 4-3/4" H x 6-7/16" Base Dia
- Aluminium Base & Polycarbonate Lens
- Mounting:
Surface Mount - 3 Mounting Holes (3/16") on 6" centres
Pole Mount use 1" pipe thread NPT (pipe not included)
- EMC IP66



PRXC-553A

Part No.	Colour	Flash Pattern	Joules	Voltage	Amps	Pkg
PRXC-550A	Amber	Double/Quad Double - SAE J1318 Class 2 Quad - SAE J1318 Class 3	12	12V - 48V	2.0 @ 12V	Box
PRXC-550B	Blue	Double/Quad	12	12V - 48V	2.0 @ 12V	Box

- Lamp Dimension : 5" H x 6-1/2" Base Dia
- Sturdy ABS Base & Polycarbonate Lens
- 3 Mounting Holes on 6" diameter
- EMC IP66



PRXC-553A Base Surface or Pole Mount



PRXC-550A

Part No.	Accessories for C-553A, C-550A & C-550B	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on mirror arm	Bulk
PRXF-FM600	Magnet Mount Kit w/ Coiled Wire and Fused Cigarette Power Adaptor to convert lamp to magnetic mount	Bulk
PRXCB-553	Replacement Flash Bulb for PRXC-553A	Clamshell
PRXCB-550	Replacement Flash Bulb for PRXC-550A & PRXC-550B	Clamshell
PRXCL-553A	Replacement Amber Lens for PRXC-553A	Bulk
PRXCL-550A	Replacement Amber Lens for PRXC-550A	Bulk
PRXCL-550B	Replacement Blue Lens for PRXC-550B	Bulk



PRXC-550B



PRXC-450AD

Part No.	Colour	Flash Pattern	Joules	Voltage	Amps	Pkg
PRXC-450AD	Amber	Single	3	12V - 48V	0.3 @ 12V	Box
PRXC-450BD	Blue	Single	3	12V - 48V	0.3 @ 12V	Box

- Lamp Dimension : 4-1/2" H x 5-1/2" Base Dia
- Rubber Base & Polycarbonate Lens
- 2 Mounting Studs (#8 screws) on 4" center
- IP65



PRXC-450BD

Part No.	Accessories for C-450AD & C-450BD	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXCB-450	Replacement Flash Bulb for PRXC-450AD & PRXC-450BD	Clamshell
PRXCL-550A	Replacement Amber Lens for PRXC-450AD	Bulk
PRXCL-550B	Replacement Blue Lens for PRXC-450BD	Bulk

PRXC-330B



PRXC-330A

Permanent Mount Models

Part No.	Colour	Flash Pattern	Joules	Voltage	Amps	Pkg
PRXC-330A	Amber	Single	2	12V - 120V	0.25 @ 12V	Box
PRXC-330B	Blue	Single	2	12V - 120V	0.25 @ 12V	Box

- Lamp Dimension : 4" H x 5" Base Dia
- Sturdy ABS Base & Polycarbonate Lens
- 3 Mounting Holes on 4-3/4" diameter
- EMC IP66

Part No.	Accessories for C-330A & C-330B	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk
PRXCB-330	Replacement Flash Bulb for PRXC-330A & PRXC-330B	Clamshell
PRXCL-330A	Replacement Amber Lens for PRXC-330A	Bulk
PRXCL-330B	Replacement Blue Lens for PRXC-330B	Bulk



PRXC-330AM



PRXC-330BM

Magnetic Mount Models

Part No.	Colour	Flash Pattern	Joules	Voltage	Amps	Pkg
PRXC-330AM	Amber	Single	2	12V - 120V	0.25 @ 12V	Box
PRXC-330BM	Blue	Single	2	12V - 120V	0.25 @ 12V	Box

- Lamp Dimension : 4" H x 5" Base Dia
- Magnetic Base with Power Adaptor Polycarbonate Lens
- EMC IP66

Part No.	Accessories for C-330AM & C-330BM	Pkg
PRXCB-330	Replacement Flash Bulb for PRXC-330AM & PRXC-330BM	Clamshell
PRXCL-330A	Replacement Amber Lens for PRXC-330AM	Bulk
PRXCL-330B	Replacement Blue Lens for PRXC-330BM	Bulk

Towmotor Application Strobe

Part No.	Colour	Flash Pattern	Joules	Voltage	Amps	Pkg
PRXC-250A	Amber	Single	2	12V - 120V	0.24 @ 12V	Box

- Lamp Dimension : 5" H x 2-3/4" Base Dia
- Mounting : 3-3/8" centre
- Mounting Hole : 3/16"
- ABS Base & Polycarbonate Lens
- EMC IP66

Part No.	Accessories for C-250A	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXCB-250	Replacement Flash Bulb for PRXC-250A	Clamshell
PRXCL-250A	Replacement Amber Lens for PRXC-250A	Bulk



PRXC-250A

Dual Strobe Light Bar

Dual Quad Flash Strobe Light Bar in alternating sequence. Centre mirrored reflector doubles the effect of the strobe. Small compact design suitable for fitting in a variety of locations.

Part No.	Colour	Flash Pattern	Voltage	Amps	Pkg
PRXC-100A	Amber	Alternating Quad Flash SAE J845 Class 2	12V	1.80	Box

- Lamp Dimension : 16" L x 8-1/2" W x 6" H
- Sturdy ABS Base with Polycarbonate Dome & Lens
- Mounting : 4 mounting screws @ 12-3/4" and 5-1/4" centres

Part No.	Accessories for C-100A	Pkg
PRXF-S950	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag



PRXC-100A

Rotating Beacon Lights

Single Rotating Beacon

Part No.	Colour	Flash Pattern	Voltage	Amps	Bulb	Pkg
PRXC-R880A	Amber	Single Rotating @ 150 fpm SAE J845 Class 1	12V	5	H1	Box
PRXC-R880B	Blue	Single Rotating @ 150 fpm	12V	5	H1	Box

- Lamp Dimension : 7-3/4" H x 8-3/4" Dia
- Aluminium Base with Polycarbonate Lens
- Mounting : 3-1/2" or 7-1/16" centres
- EMC IP65

Part No.	Accessories for PRXC-R880A & PRXC-R880B	Pkg
PRXF-S970	Fuse/Switch Kit consisting of: PRXST100 On/Off Toggle Switch, PRXATM075 7.5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-F680	Mounting Plate & Bracket Set for mounting on pole or mirror arm	Bulk
PRXCL-R880A	Replacement Amber Lens for PRXC-R880A	Bulk
PRXCL-R880B	Replacement Blue Lens for PRXC-R880B	Bulk



PRXC-R880A



PRXC-R880B

Mounting Plate & Bracket Set - for Pole Mount or Mirror Arm Mount



PRXE-F680
Pole Mount



PRXE-F680
Mirror Arm Mount

Part No.	Description	Pkg
PRXE-F680	Mounting Plate & Bracket Set consisting of: 6-1/2" Round Plated Steel Base Mount and Brushed Aluminium Mirror Mounting Bracket with 1/2" centred mounting hole	Bulk

For Use with:

PRXC-330A	PRXC-880BC	PRXE-330A	PRXE-650A
PRXC-330B	PRXC-883AC	PRXE-350A	PRXE-658A
PRXC-550A	PRXC-R880A	PRXE-550A	PRXE-880AC
PRXC-550B	PRXC-R880B	PRXE-553A	PRXE-888AC
PRXC-553A			

Magnet Mount Kit - to convert Lamp to Magnetic Mount



PRXE-FM600

Part No.	Description	Pkg
PRXE-FM600	Magnetic Mount Kit consisting of: 6-1/2" Round Plated Steel Base with Magnet and Rubber Housing Coiled Wire & Cigarette Power Adaptor	Bulk

For Use with:

PRXC-550A	PRXE-350A	PRXE-650A
PRXC-550B	PRXE-550A	PRXE-658A
PRXC-553A	PRXE-553A	

Fuse/Switch Kits



PRXST-100



PRXF-S950

Part No.	Fuse/Switch Kit consisting of:	Pkg
PRXF-S935	PRXST100 On/Off Toggle Switch PRXST108 Momentary On-Off Toggle Switch PRXATS03 3 Amps Standard Fuse PRXATSF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-S950	PRXST100 On/Off Toggle Switch PRXATM05 5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-S955	PRXST100 On/Off Toggle Switch PRXST105 On-Off-Momentary On Toggle Switch PRXATM05 5 Amps Mini Fuse PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-S970	PRXST100 On/Off Toggle Switch PRXATM075 7.5 Amps Mini Fuse & PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag
PRXF-S975	PRXST100 On/Off Toggle Switch PRXST105 On-Off-Momentary On Toggle Switch PRXATM075 7.5 Amps Mini Fuse PRXATMF14C In-Line Fuse Holder w/ Cover	Retail Bag

SAE Class 1, Class 2 or Class 3? Not sure what to use on your application?

Per SAE specifications:

Class 1 Optical Warning Device is a primary optical warning device for use on authorized emergency vehicles responding to emergency situations. These devices are utilized to capture the attention of motorists and pedestrians and warn of a potentially hazardous activity or situation. Examples of emergency vehicles are police vehicles, fire trucks and ambulances.

Class 2 Optical Warning Device is a primary optical warning device for use on authorized maintenance or service vehicles to warn of traffic hazards such as a lane blockage or slow moving vehicle. Examples of maintenance or service vehicles are tow trucks, snow plow vehicles, Department of Highway road maintenance vehicles and other slow moving vehicles.

Class 3 Optical Warning Device is a primary optical warning device for use on vehicles authorized to display an optical warning device for identification only.